


WaveLinx PRO

Wireless Connected Lighting Solutions for Indoor | Outdoor | Industrial

Flexible. Connected. Secure.



cooperlighting.com

WaveLinx PRO

Industry-leading technology, in a simple package

WaveLinx PRO provides immediate out-of-the-box functionality while the intuitive mobile application simplifies even the most complex installation. Contractors love the simplified installation saving them time on site.

WaveLinx PRO is the designers choice for offices, schools, healthcare facilities, distribution centers and more.

Flexible. Connected. Secure.

Integrated sensors provide immediate out-of-the-box performance, code compliance and can be configured as a system with other control devices from a secure mobile application.



CONNECTED LIGHTING & CONTROLS


Advanced lighting fixtures and digital control devices

Sensing and communications technology



CONNECTIVITY

Gateway with edge data process power



APPS / SOFTWARE

Data accumulation & analysis

Software applications



Save on installation time and cost

WaveLinx PRO is designed to get you up and running faster. In some cases, it's not even necessary to involve IT.

Get off the job faster

The commissioning process doesn't need to cause headaches or hang-ups. The WaveLinx PRO built-in features reduce commissioning time by 40% or more.

Be smart building ready

Gather real-time building data, so you can make more informed decisions and save energy. Data can be easily shared with your building enterprise platform via BACnet and Public API (REST).

Control it all, from your mobile device

Configure and control your system conveniently through an intuitive mobile application.

FLEXIBLE INSTALLATION

Say goodbye to the high costs and complexity of typical addressable control systems

WaveLinx is designed for simplicity and scalability for either standalone or networked applications.

Stand-Alone Installation:

For office spaces within a small to medium scale building.

- IT setup not required
- Out-of-the-box code compliance and fully configurable via mobile app
- Security features for peace of mind

Network Installation:

For entire building connectivity.

- Smart building ready
- Centralized configuration and management
- BACnet/IP and Public API (REST) integration
- Real-time alarms with smart tips



Education



Industrial



Office



Healthcare




Outdoor

Simple
yet powerful
programming...
with or without
an IT network.




SCALABLE TECHNOLOGY

WaveLinx PRO products make it easy to select the connected lighting solution that's perfect for both small and large projects. Scale from one room to an entire floor, or from one building to multiple buildings and sites.



Standalone AND easily customized control?

WaveLinx LITE enabled luminaires can operate in standalone mode (individually controlled luminaires), in groups (areas and zones) and can be upgraded to WaveLinx PRO enabled luminaires via a firmware upgrade and the addition of WaveLinx Area Controllers.*



	Luminaire with standalone sensor	Standalone Spaces WaveLinx LITE	Standalone Spaces WaveLinx CAT	Networked Spaces WaveLinx PRO	Enterprise WaveLinx CORE
Occupancy	Yes	Yes	Yes	Yes	Yes
Daylighting	Yes	Yes	Yes	Yes	Yes
Wallstations	-	Yes	Yes	Yes	Yes
Gateways	-	-	-	1 WAC	300 WACs
Devices (MAX)	-	40 per Area (1120 per space)	40 per Area	200 per WAC2	32,500 per CORE Enterprise
Software	-	WaveLinx LITE Mobile App	WaveLinx CAT Mobile App	WaveLinx Mobile App	CORE
Areas	-	28 per Space	Unlimited	50 per WAC2	up to 3,000
Zones	-	16 per Area	16 per Area	16 per Area	up to 9,000
Scheduling	-	-	-	Local	Global
VividTune™	-	-	-	Yes	Yes
Plug-Load Control	-	Yes	Yes	Yes	Yes
Low-Voltage Power	-	-	Yes	Yes	Yes
Integration	-	-	-	-	BACnet, API
Dashboards	-	-	-	-	Energy, Occupancy
Configuration	-	Installer	Installer	Technician	Technician / IT

SCALABILITY




WaveLinx expands from a single standalone device up to Enterprise with 32,500 devices

*Note: WaveLinx LITE devices can be upgraded to WaveLinx PRO via an OTA firmware update. The OTA and system configuration can only be performed by Cooper Lighting Solutions specialists. WaveLinx Area Controller(s) would also need to be added to complete the solution.



Take compliance, network security and energy savings into your own hands.



Unparalleled 7-tier network security features

STAY SECURE WITH ULTIMATE PEACE OF MIND

With information security threats and fears on the rise, WaveLinx PRO is designed to keep your data on lockdown with seven tiers of security.

- 
Physical barriers to entry
 The WaveLinx Area Controller sits in the ceiling, and hidden from view
- 
Customer security
 NIST Cybersecurity Framework and industry best practices
- 
Device security
 Features AES 128-bit encryption device-to-device communication
- 
Network security
 Secure HTTPS protocols and WPA2 technology
- 
Network segmentation
 Isolated networks limit large scale security breaches
- 
Over-the-air updates
 Wireless technology allows your system to securely stay up-to-date
- 
WaveLinx PRO security assurance
 Continuous monitoring and reporting of internet threats and vulnerabilities. Notifications are sent to user when cybersecurity threats have been identified.



Stay secure!


WaveLinx PRO devices are IEC 62443-4-1 and IEC 62443-4-2 certified. Independent certifications have been performed by certified labs.



WaveLinx PRO can offer

SIGNIFICANT BENEFITS


- Save time managing and maintaining your system with CORE Lighting App and our system smart tips
- Achieve more with the wireless system that has the broadest offering of indoor, outdoor and industrial controls and fixtures
- Stay secure with unparalleled 7-tier network security features with IEC 62443-4-1 and IEC 62443-4-2 Cybersecurity Certification



Control and efficiency, at your fingertips

Next-level convenience and control: configure zones, customize settings, and save energy from one secure mobile app.

- Easy, automatic code commissioning provides a sequence of operations that meets the strictest codes
- Adjust automatic settings, with the ability to configure each setting yourself
- View occupancy/daylight data from sensors, and further savings by implementing demand response



The WaveLinx App can be downloaded via the Apple Store® or Google Play and is an accessory to the WaveLinx PRO wireless system.



Wireless. Code Compliant. Cost Effective.



Lighting fixture with integrated sensor

Highly efficient LED fixtures



WaveLinx Area Controller

Provides centralized coordination of multiple area control options



Wireless Wallstation/Receptacle

Provides customized wireless control of each area





Mobile Applications

Provides personalized, local control from a tablet or smartphone



up to
70% ENERGY SAVINGS

ASHRAE 90.1 2019 - 70%
IECC 2018 - 55%
T24 2019 - 70%



WaveLinx PRO reduces project commissioning time by

**40%
or more**




The sensor is factory wired and ready to meet code out-of-the-box



Automatic code compliance? Yes, it's true

No more waiting weeks for commissioning teams, code compliance hang-ups or missed opportunity costs. With WaveLinx PRO, you can finish the job more quickly, and move on to the next.

- Automatic code commissioning meets or exceeds code requirements
- Wireless integrated sensors ensure maximum efficiency
- A simple mobile app allows building managers to easily adjust settings, even after the project has finished, with no need to go back into the wall
- Connected fixtures provide a platform for future scalability



LEDs on double-duty

With IoT technology, your lights are more than lights – they're a gold mine for building information. Make better decisions with real-time, actionable data.

View key building information and optimize your zone settings, all from the mobile app:

- Occupancy/vacancy control lets you fine tune occupied light level and partial ON/OFF requirements
- Daylighting helps you harness your space's natural light, and meet code requirements
- Multicolor LED status lights allow for easy system troubleshooting and diagnostics




Imagine if your lighting system helped you get off the job faster with controls and lighting that just work



WaveLinx CORE


Smart spaces IoT platform

WaveLinx CORE is an on-prem, open integration smart spaces IoT platform that moves real-time monitoring and processing to the edge which allows you to gain faster insights of building's operations, drive efficiencies and make effective decisions.




Alarms and Events with Smart Tips

Get alerted to outages and other system health issues, so you can address issues with minimal disruption. You can receive detailed alerts via the app and/or email, eliminating the need for routine checks. Smart Tips also provides time saving suggestions to resolve issues.




Energy Dashboard

Analyze historical usage data across multiple areas, floors, buildings, and sites, to visualize where you're using the most energy and identify areas for improvement.




Schedules

Use the CORE intuitive scheduling interface to manage lighting and controlled receptacle schedules for one or more buildings – all from a central location.



Operate

From one fixture to the entire building, lighting control is at your fingertips. Monitor devices, update dimming schedules, send light control commands, and much more – across buildings, floors and areas.



CORE Smart Spaces IoT Platform applications

Lighting | Asset Tracking | API | BACnet

The CORE Lighting application helps facility/property managers take full advantage of IoT by connecting WaveLinx PRO with other building systems using BACnet and Public API (REST). WaveLinx CORE solutions include alarms with smart tips, system events, demand response, platform flexibility and future readiness.




WaveLinx CORE Pro, Enterprise, and Virtual are IEC 62443-4-1 and IEC 62443-4-2 certified. Certifications have been independently performed by Dekra, an IEC accredited cybersecurity lab.



CORE Locate

Real-Time Location System

Leverage the WaveLinx PRO integrated sensor along with the CORE Locate application to monitor and manage critical assets equipped with BLE tags.




Asset Tracking

Have total visibility to where your assets are by quickly locating them on map or tabular view. Reduce by more than 90% your search time for critical equipment.



Geofencing

Get real-time notifications when a location-based condition associated with a geo-fence is met. Easily create and manage geo-fence.



Alarms

Get instant notifications when something needs your attention—like an asset exiting or a fridge exceeding the upper-temperature limit—based on business rules you create. You can quickly see where the situation is located within your floorplan and respond immediately.



Asset Tags

CORE Locate offers a range of tag options, from personal and assets tags to using your mobile device as a virtual tag, all configurable by mobile app.

For a complete list of CORE Locate Asset Tags, see: www.cooperlighting.com



CORE Insights

Occupancy Dashboard

Analyze the data gathered from occupancy sensors to optimize the building space utilization with pre-configured dashboards.

Out-of-the-box dashboard and reports

Ready-to-use scalable multi-site dashboards available on-prem and on cloud. The dashboard and reports provide aggregated and detailed occupancy metrics at enterprise, site, building, area, and room level.

Floorplan visualization

Along with enterprise hierarchy, charts, and other representation to quickly view average area occupancy, compare occupancy trends and real-time occupancy at site, building and floor level.

Quickly navigate

From Enterprise level to site, area, and room level to monitor key performance indicator for real-time occupancy utilization and occupancy trends. Desktop, mobile and kiosk compatible and intuitive chart views – bar/line.

Identify your most and least used spaces

View area occupancy across your real-estate portfolio from most used (>70%) to least used (< 30%) by department, space type, building and floor.



CONTROL DEVICES

Precise control. Flexible options.

WaveLinx Area Controller

The WaveLinx Area Controller (WAC2-POE) is the main component of the WaveLinx wireless connected lighting system. The WAC2 coordinates between the WaveLinx Mobile App and various WaveLinx PRO devices to create a smart building ecosystem that provides out-of-the-box functionality and leverages our patent pending automatic code commissioning features.

catalog number:

WAC2-POE - WaveLinx Area Controller G2 (PoE powered)

WPOE2-120 - 120VAC to PoE Injector

WAC2-120 - WaveLinx Area Controller G2 with 120VAC to PoE Injector

For a complete list of compatible products, see:

www.cooperlighting.com

WaveLinx Area Controller with IP66-Rated Outdoor Enclosure

The WaveLinx Area Controller with IP66-Rated Outdoor Enclosure (WAC2-POE-OUT-EN) offers an outdoor installation option to the WAC2-POE. For installation away from direct sunlight, consult specifications for environmental conditions and performance.



catalog number:

WAC2-POE-OUT-EN - WaveLinx Area Controller G2 with 120VAC to PoE Injector with Enclosure

Click on products to learn more



WaveLinx CORE Pro , CORE Enterprise and Virtual CORE Enterprise

Enterprise | BACnet | API Integration

The WaveLinx CORE Pro, Enterprise and Virtual Enterprise is an on-prem hardware platform hosting CORE software applications. They network up to WaveLinx Area Controllers collecting data that can be shared with third party systems via BACnet and Public API (REST).

catalog number:

TRX-TCPR02 - WaveLinx CORE Pro (supports 20 WACs)
Includes: 250 devices

TRX-TCENT2 - WaveLinx CORE Enterprise (supports 300 WACs)
Includes: 250 devices (Lighting base license)

TRX-TCVRT2 - WaveLinx CORE Virtual Enterprise (supports 300 WACs)
Includes: 250 devices (Lighting base license)



WaveLinx Area Hub

Aggregates network traffic from connected downstream areas and connects it to the WaveLinx Area Controller. Allows up to 8 individual wired areas to communicate with the Area Controller.

catalog number:

WAH-C-POE - WaveLinx Area Hub (PoE powered)



Wireless Ceiling Sensor

Sensing | Daylight | Wireless | Battery

The room based wireless sensor offers PIR occupancy and daylight sensing of up to 1500 square feet. The room based sensor is battery powered and is one of the smallest ceiling mounted room based wireless occupancy and daylight sensors on the market. The sensor in combination with the WaveLinx PRO mobile application allows you to gain considerable energy savings from occupancy sensing-based control of lighting and plug loads.

catalog number:

CWPD-1500 - Ceiling sensor



Wireless Dimming Switchpack

Plug Load | 0-10V | Wireless

The WaveLinx PRO Switchpack (RSP-P) is a lighting control device designed to control (on/off/dim) commercial and industrial lights as well as receptacles. The PRO Switchpack consists of a 120-347VAC 20A relay and a continuous 0-10V dimming control.

catalog number:

RSP-P-010-347 - PRO switchpack



Wireless Tilemount Sensor Kit

Sensing | Daylight | Downlights | Wireless

The Tilemount Sensor Kit provides PIR occupancy and daylight dimming and control for connected downlight luminaires or other luminaires that do not support the WaveLinx PRO Integrated Sensor. The Tilemount Sensor Kit provides 0-10V dimming control of LED and non LED loads for up to 3amps 120-277V luminaires.

catalog number:

WTA - PRO Tilemount Kit*

WPST - Fixture Mounted PRO Tilemount Kit

* - accessory catalog number



Universal Dimming Switchpack with Dry Contact Input

0-10V | 120-347VAC | Wireless

The dimming switchpack (WSP-CA-010) offers 120-347VAC 20amp relay control and continuous 0-10V dimming control of LED and non LED loads. May also be used to integrate Greengate low-voltage occupancy (PIR or Dual Tech) sensors or contact closure input for a control area.

catalog number:

WSP-CA-010 - Universal Dimming Switchpack with Dry Contact Input

IR Remote

Wireless | Reduce Commissioning Time

The WaveLinx IR Remote is a commissioning tool that allows installers to communicate directly with a connected luminaire's PRO Integrated Sensor and perform critical tasks without using the WaveLinx Mobile App. The remote can be used to set a sensor into pairing mode, reverse-identify a sensor, adjust the sensitivity of the PIR sensor, enable/disable closed loop daylighting, enable occupancy or daylight test modes, perform the advanced functionality of assigning "point guards" for larger zone applications and to factory reset a sensor. The PRO IR Remote reduces the commissioning time by 5-10% and eliminates the need to power cycle the circuit to put sensors into pairing mode.

catalog number:
ACC-P-RT - PRO IR remote




Wireless Receptacle

Plug Load | Wireless

The wireless receptacle provides simplified wireless plug load control. Plug load control is required now in many building codes as part of an energy saving control strategy. The wireless receptacle is automatically paired with all WaveLinx PRO occupancy sensors in a space when it is assigned to an area using the WaveLinx Mobile Application.

catalog number:
WR-20 - 20A wireless receptacle




Touchscreen

PoE powered | Light control | Architectural design

The WaveLinx PRO TSE57 touchscreen provides an elegant and discreet light control for any WaveLinx PRO controlled area. The portrait-oriented 5.7" (14.5cm) touchscreen features a low-profile design with edge to edge glass and an extremely responsive display making it a great architectural addition to conference rooms, executive offices and open spaces.

catalog number:
TSE57-WLX-B - 5.7" Touchscreen



Wireless Wallstation


Manual | Scenes | Zones | Wireless

The wireless wallstation is available in several small and large button configurations as well as various colors. These wallstations are line voltage powered and provide wireless control of the lighting in each area. The wireless wallstation mounts in a standard wallbox and includes a decorator style color matching wallplate. Each wallstation is fully configurable to provide local and multi-level control in each area.

catalog number:
W1L - * - 1 Large button
W1L-RL - * - 1 Large button with raise/lower
W2L - * - 2 Large button
W2L-RL - * - 2 Large button with raise/lower
W2S - * - 2 Small button
W2S-RL - * - 2 Small button with raise/lower

catalog number:
W3L - * - 3 Large button
W4S - * - 4 Small button
W4S-RL - * - 4 Small button with raise/lower
W5S - * - 5 Small button
W6S - * - 6 Small button

* - available in white (W), ivory (V), gray (G), and black (B)




Wireless Wallstation (wall plate not included)

Manual | Scenes | Zones | Wireless

The wireless wallstation is available in several button configurations. These wallstations are line voltage powered and provide wireless control of the lighting in each area. The wireless wallstation mounts in a standard wallbox. Each wallstation is configurable through software - no physical adjustments.

catalog number:
WW1-W - 1 button, white
WW3-W - 3 button, white
WW3-RL-W - 3 button raise/lower, white
WW5-RL-W - 5 button raise/lower, white



Battery powered on-wall Wallstation

Battery | Manual | Scenes | Zones | Wireless

The wireless wallstation is available in several small and large button configurations. These battery powered wallstations are for new or retrofit installations and provide wireless control of the lighting in each area. The wallstation surface mounts to a wall and includes a decorator style color matching wallplate. Each wallstation is fully configurable to provide local and multi-level control in each area. Battery life expectancy up to five years.

catalog number:
WB2L-S1 - * - 2 Large button, S1
WB2L-S2 - * - 2 Large button, S2
WB2L - * - 2 Large button
WB3L-S2 - * - 3 Large button, S2
WB3L-D - * - 3 Large button, D
WB3L - * - 3 Large button

catalog number:
WB5-S3 - * - 5 Button, S3
WB6S-S3 - * - 6 Small button, S2
WB6S-S3D - * - 6 Small button, S3D
WB6S-S5 - * - 6 Small button, S5

* - available in white (W)



Battery powered in-wall Wallstation (wall plate not included)

Battery | Manual | Scenes | Zones | Wireless

The wireless wallstation is available in several button configurations. These battery powered wallstations are for new or retrofit installations and provide wireless control of the lighting in each area. The wireless wallstation mounts in a standard wallbox. Each wallstation is configurable through software - no physical adjustments. Battery life expectancy up to five years.

catalog number:
WWB1-W - 1 button, white
WWB3-W - 3 button, white
WWB3-RL-W - 3 button raise/lower, white
WWB5-RL-W - 5 button raise/lower, white

LIGHTING PRODUCTS

WaveLinx PRO wireless technology offers an intelligent, simple, easily control of various luminaires to meet application requirements:

- Supports integrated or tile mount connected sensors for occupancy and daylighting
- Designed and tested to provide guaranteed compatibility
- Eliminate the worry of controls and luminaire integration

Integrated Sensor

Sensing | Daylight | Wireless

The integrated sensor combines control within the light fixtures to reduce installation and design time; while meeting energy codes. With the integrated sensor the lighting design is the control design capable of IoT features without hardware replacement.

catalog number:
WPS/WAA - PRO Sensor for connected rooms/spaces

Architectural lighting

Integrated sensors
Sensing | Daylighting
Individual | Grouping

Low-Voltage option available = 

Click on products to learn more



Neo-Ray **Define Gen 2**
Linear recessed & Linear Suspended LED



Corelite **Iridium i3**
Linear suspended WaveStream LED



Corelite **Divide**
Suspended WaveStream LED



Corelite **Continua & Continua SQ4**
Linear suspended LED



Corelite **Discreet**
Linear suspended & surface direct LED



Corelite **RX / ZX**
Architectural recessed LED



Corelite **Jaylum**
Suspended LED



Corelite **Bridge**
Architectural recessed WaveStream LED



Corelite **D3X**
Architectural recessed LED



RSA **MRZ**
Architectural recessed integral LED

Ambient lighting

Integrated sensors
Sensing | Daylighting | Individual | Grouping

Low-Voltage option available = 

Click on products to learn more



Metalux **Perceive (PD)**
LED recessed ambient



Metalux **Cruze ST & SB**
LED recessed ambient



Metalux **Cruze Retrofit Kit**
LED recessed ambient



Metalux **Flat Panel (FPX)**
Ultra-thin LED panel



Metalux **Encounter**
Recessed ambient WaveStream LED



Metalux **SkyRidge**
Recessed ambient WaveStream LED



Metalux **RLN**
LED recessed ambient



Metalux **RBG**
Architectural linear slot



Metalux **Accord**
LED recessed ambient



Metalux **GR**
General recessed LED troffer



Metalux **WSL**
Linear surface / suspended series WaveStream LED



Metalux **SRL**
Linear LED striplight



Metalux **SWLED**
Linear LED striplight

Recessed lighting

Tile Mount Sensing when installed with WTA Tilemount Sensor Kit 

Low-Voltage option available = 



Portfolio **LDA Series**
2", 3", 4" and 6" Adjustable Downlights

Click on products to learn more



Portfolio **LE / LS Series - Cylinders**
2", 4" and 6" Round & Square 8" Round 2", 4" and 6" Round & Square Shallow



Portfolio **LAM and LDM Series - Multiples**
1" (1 cell to 15 cells) Downlight or Adjustable 4" (1 head to 4 heads)



Portfolio **LD Series**
2", 4", 6" and 8" Downlights



HALO Commercial **PR Series**
4", 6" and 8" SeleCCTable Downlights



HALO Commercial **HC Series**
4", 6" and 8" Downlights

For a complete list of compatible products, see:
www.cooperlighting.com



Industrial lighting

Integrated sensors
Sensing | Daylighting | Individual | Grouping | Motion

Click on products to learn more



Industrial High/Low Bay Sensor

The WaveLinx PRO industrial high bay sensors offers passive infrared (PIR) occupancy with a photocell for closed-loop daylight sensing. The sensors are IP66-rated for warehouse, manufacturing, and industrial spaces, with installation high bay heights up to 40 ft. (45 ft. major motion), low bay up to 15 ft. and coverage up to 5000 sq. ft. Easy toolless fixture connection (Zhaga Book 18 socket) offers out-of-the-box controls functionality. Factory or field install, with 4-pin connector standard.

catalog number:
WPS2 - Fixture Mount Low Bay Sensor, 7 - 15ft (2.1 - 4.5m)
WPS4 - Fixture Mount High Bay Sensor, 15 - 40ft (4.5 - 12.2m)

WaveLinx PRO



Metalux Steeler
High Bay LED



Metalux VHB
High Bay LED



Metalux HBLED
High Bay LED



Metalux ILED
LED Linear Bay



Metalux Benchmark
High Bay LED



Metalux VT2
LED Vaportite



Metalux VT3
LED Vaportite



Metalux VT4
LED Vaportite



Metalux LHB
LED High Bay



Metalux SNLED
LED Striplight



Metalux SkyBar Single
LED Low Bay



Metalux Optimized HB
High Bay LED

For a complete list of compatible products, see:

www.cooperlighting.com

Outdoor lighting

Sensing | Daylighting | Individual Grouping | Motion | Astronomic

Click on products to learn more



Outdoor Fixture Mount Sensor

The WaveLinx PRO outdoor sensors (high and low mounted) offer passive infrared (PIR) occupancy with a photocell for closed loop daylight sensing. The sensors are IP66 rated for outdoor site and indoor environments with installation heights up to 40 feet and coverage up to 5000 square feet. Easy tool-less fixture connection (Zhaga Book 18 socket) with out-of-the-box controls functionality. Available color options: white, black and bronze. Factory or field install this sensor with 4 pin connector standard.

catalog number:
WPS2xx - Outdoor Fixture Mount Low Bay Sensor, 7 - 15ft (2.1 - 4.5m)
WPS4xx - Outdoor Fixture Mount High Bay Sensor, 15 - 40ft (4.5 - 12.2m)

xx - available in white (WH), bronze (BZ), and black (BK)



Wireless Outdoor Lighting Control Module

The WaveLinx PRO 7-pin outdoor lighting control module enables schedules to provide ON, OFF and dimming controls based on astronomic or time schedules based on a 7 day week. Allows to create multiple control zones.

catalog number:
WOLC-7P-10A - Outdoor lighting control module

For a complete list of compatible products, see:
www.cooperlighting.com



Galleon LED
Area and site, Wall, PC and Flood



Arbor LED
Area and site



Impact Elite Cylinder LED
Wall



Prevail/Prevail XL
Area and site



Luxescape LED
Area and site

WaveLinx PRO

Featured WaveLinx solutions

Cooper Lighting Solutions provides many lighting control solutions designed to satisfy code requirements and meet the unique needs of any project.



WaveLinx LITE

WaveLinx LITE is an easy-to-install, app-based wireless lighting control system for standalone spaces that saves energy and helps you be code-compliant.



WaveLinx PRO

WaveLinx PRO is an easy-to-specify, wireless lighting control system, for connected spaces, that significantly reduces a building's energy consumption and helps building owners improve operations, spaces environment, and tenants' experience.



WaveLinx CAT

WaveLinx CAT is an easy-to-install, app-based, CAT5-wired, distributed lighting control system, for indoor spaces, that saves energy and helps you be code-compliant.



Designers, electrical contractors and building owners/operators use the WaveLinx PRO connected lighting system to comply with latest energy codes, maximize energy savings and improve occupant experience.

Lighting Brands

Ametrix
AtLite
Corelite
Ephesus
Fail-Safe
HALO
HALO Commercial
Invue
iO
Iris
Lumark
LumarkAP
Lumière
McGraw-Edison
Metalux
MWS
NeoRay
Portfolio
PrentaLux - 3D Printed Lighting
RSA
Shaper
Streetworks
Sure-Lites

Controls Brands

Greengate
Fifth Light
Intelligent Lighting Controls

Connected Lighting Systems and Smart Spaces Platform

WaveLinx
Trellix Infrastructure



SCAN
for more
WaveLinx PRO
information



Cooper Lighting Solutions
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.cooperlighting.com

Canada Sales
5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2024 Cooper Lighting Solutions
All Rights Reserved
Printed in USA
Publication No. BR503080EN
March 2024

Cooper Lighting Solutions is a registered trademark.

All other trademarks are property of their respective owners.

Product availability, specifications, and compliances are subject to change without notice.