Certificate Number UL-CA-L328008-310-21214102-3

Report Reference E328008-20141212

Date 3-May-2023

Issued to: Cooper Lighting, LLC

1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019

United States

This is to certify that representative samples of

IFAM7 - Light-emitting-diode Surface-mounted Luminaires

Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26,

Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Deborah Jennings-Conner, VP Regulatory Services





Certificate Number UL-CA-L328008-310-21214102-3

Report Reference E328008-20141212

Date 3-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BCLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
CRLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
SWLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires

Octoah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services



Certificate Number UL-US-L328008-14-21214102-4

Report Reference E328008-20141212

Date 3-May-2023

Issued to: Cooper Lighting, LLC

1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019

United States

This is to certify that IFAM - Light representative samples of

IFAM - Light-emitting-diode Surface-mounted Luminaires

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date:

2021-06-18

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services



Certificate Number UL-US-L328008-14-21214102-4

Report Reference E328008-20141212

Date 3-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BCLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
CRLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
SWLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires

Octoah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services



Certificate Number UL-US-L328008-110-21214102-3

Report Reference E328008-20141212

Date 3-May-2023

Issued to: Cooper Lighting, LLC

1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019

United States

This is to certify that IFAM - representative samples of

IFAM - Light-emitting-diode Surface-mounted Luminaires

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date:

2021-06-18

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/.



Certificate Number UL-US-L328008-110-21214102-3

Report Reference E328008-20141212

Date 3-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BCLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
CRLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
SWLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires

Octoah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services



Certificate Number UL-CA-L328008-34-21214102-4

Report Reference E328008-20141212

Date 3-May-2023

Issued to: Cooper Lighting, LLC

1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019

United States

This is to certify that representative samples of

IFAM7 - Light-emitting-diode Surface-mounted Luminaires

Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26,

Revision Date: 2021-06-18


Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





Certificate Number UL-CA-L328008-34-21214102-4

Report Reference E328008-20141212

Date 3-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
BCLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
CRLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires
SWLED, provided with prefixes and suffices, denoting length (2ft to 8ft), lens type, voltage UNV, 120-480V, emergency driver options, lumen output, control option and packaging variations	Light-Emitting-Diode Surface Mounted Luminaires

Octoah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

