

# Certificate of Compliance

**Certificate Number:**

UL-US-L329296-110-  
81508102-11

**Report Reference:**

E329296-20180518

**Issue Date:**

2024-01-29

Issued to:

**Cooper Lighting, LLC**  
**1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019**  
**United States**

This certificate confirms that representative samples of:

**IFAO - Light-emitting-diode Recessed Luminaires**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-US-L329296-110-81508102-11  
**Report reference**     E329296-20180518  
**Date**                     2024-01-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
14AID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 14XX, XX can be APF, FP, FPS, FPX, FSP and YY can be RT. Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
22AID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 22XX, XX can be APF, FP, FPS, FPX, FSP and YY can be RT. Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
24AID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 24XX, XX can be APF, FP, FPS, FPX, FSP and YY can be RT. Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 44ID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
YY14, YY can be RT	LED recessed luminaire, Type IC
YY22, YY can be RT	LED recessed luminaire, Type IC
YY24, YY can be RT	LED recessed luminaire, Type IC



David Picuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



# Certificate of Compliance

**Certificate Number:**

UL-CA-L329296-310-  
81508102-10

**Report Reference:**

E329296-20180518

**Issue Date:**

2024-01-29

Issued to:

**Cooper Lighting, LLC**  
**1121 HIGHWAY 74 S PEACHTREE CITY, GA 30269-3019**  
**United States**

This certificate confirms that representative samples of:

**IFAO7 - Light-emitting-diode Recessed Luminaires Certified for Canada**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26,**  
**Revision Date: 2021-06-18**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch  
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number**    UL-CA-L329296-310-81508102-10  
**Report reference**     E329296-20180518  
**Date**                     2024-01-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
14AID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 14XX, XX can be APF, FP, FPS, FPX, FSP and YY can be RT. Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
22AID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 22XX, XX can be APF, FP, FPS, FPX, FSP and YY can be RT. Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
24AID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 24XX, XX can be APF, FP, FPS, FPX, FSP and YY can be RT. Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
<b>Flat Panel Series</b> , 44ID, Model numbers may have additional suffixes or prefixes that reflect non-safety related product revisions	LED recessed luminaire, Type IC
YY14, YY can be RT	LED recessed luminaire, Type IC
YY22, YY can be RT	LED recessed luminaire, Type IC
YY24, YY can be RT	LED recessed luminaire, Type IC



David Piecuch  
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

