

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2146340-0
Report Reference E329296-20211006
Date 8-Oct-2021

Issued to: Cooper Lighting, LLC
1121 HIGHWAY 74 S PEACHTREE CITY, GA
United States 30269-3019

**This is to certify that
representative samples of** IFAO - Light-emitting-diode Recessed Luminaires
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date:
2021-06-18

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2146340-0
Report Reference E329296-20211006
Date 8-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
APR , 22APR, 24APR, aaAPR-bbLcdd-eeLcdd-fff-gggggg-hhcdd-xxxxx, may be followed by additional suffixes that reflect non-safety critical features or accessories, where aa (fixture size)=22 or 24, bb (ambient lumens)=17-45, c (CRI)=8 or 9, dd (CRT)=30,35,40 or 50, ee (exam lumens)=10-80, fff (input voltage)=120, 277 or UNV, gggg (dimming control)=any alphanumeric characters, hh (optional lighting)=RL or NL, xxxxx (options)= LVCP, LVCD, EL7W, EL10W, EL14W, IP65, ETRD2, GTRD2 or blank.	LED recessed luminaire
APN , 4APN, 5APN, 6APN, aAPN6-bbLcdd-eeLcdd-fff-gggggg-hhcdd-xxxxx, may be followed by additional suffixes that reflect non-safety critical features or accessories, where a (fixture size)=4, 5 or 6, bb (ambient lumens)=20-40, c (CRI)=8 or 9, dd (CRT)=30,35,40 or 50, ee (exam lumens)=20-40, fff (input voltage)=120, 277 or UNV, gggg (dimming control)=any alphanumeric characters, hh (optional lighting)=RLL, RLR, NLL or NLR, xxxxx (options)= LVCP, LVCD, EL7W, EL10W, EL14W, or IP65.	LED recessed luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2138921-0
Report Reference E329296-20211006
Date 8-Oct-2021

Issued to: Cooper Lighting, LLC
1121 HIGHWAY 74 S PEACHTREE CITY, GA
United States 30269-3019

This is to certify that representative samples of IFA07 - Light-emitting-diode Recessed Luminaires Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2138921-0
Report Reference E329296-20211006
Date 8-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
APR , 22APR, 24APR, aaAPR-bbLcdd-eeLcdd-fff-gggggg-hhcdd-xxxxx, may be followed by additional suffixes that reflect non-safety critical features or accessories, where aa (fixture size)=22 or 24, bb (ambient lumens)=17-45, c (CRI)=8 or 9, dd (CRT)=30,35,40 or 50, ee (exam lumens)=10-80, fff (input voltage)=120, 277 or UNV, gggg (dimming control)=any alphanumeric characters, hh (optional lighting)=RL or NL, xxxxx (options)= LVCP, LVCD, EL7W, EL10W, EL14W, IP65, ETRD2, GTRD2 or blank.	LED recessed luminaire
APN , 4APN, 5APN, 6APN, aAPN6-bbLcdd-eeLcdd-fff-gggggg-hhcdd-xxxxx, may be followed by additional suffixes that reflect non-safety critical features or accessories, where a (fixture size)=4, 5 or 6, bb (ambient lumens)=20-40, c (CRI)=8 or 9, dd (CRT)=30,35,40 or 50, ee (exam lumens)=20-40, fff (input voltage)=120, 277 or UNV, gggg (dimming control)=any alphanumeric characters, hh (optional lighting)=RLL, RLR, NLL or NLR, xxxxx (options)= LVCP, LVCD, EL7W, EL10W, EL14W, or IP65.	LED recessed luminaire



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

