

Fifth Light panels and supported peripheral devices: transition and sales sunset notice

Cooper Lighting Solutions (“CLS”) is evolving its controls portfolio. As part of this transition, Fifth Light products will no longer be available for new sales after August 31, 2026 (End of Sale). CLS will continue to support and service existing Fifth Light installations through August 31, 2031 (Last Date of Support), in accordance with applicable warranty terms. Extended support beyond this date will only be available through pre-purchased service agreements or system migration agreements with site-specific contract terms.

For new wired DALI projects, CLS recommends WaveLinx DALI as our forward-looking solution. No immediate action is required for customers with existing Fifth Light systems, and there is no requirement to remove or replace installed Fifth Light equipment because of this notice. Project specifications and quotes can be easily converted to Wavelinx DALI on a case-by-case basis, in consultation with involved parties. Transition planning for existing sites, where appropriate, can be addressed during the support window and aligned to your project lifecycle and site needs. For assistance, please contact your local Cooper Lighting Agency representative (agent locator available at the link provided in this letter).

This decision reflects our commitment to delivering innovative, future ready lighting control solutions with the next generation of WaveLinx technologies.

What this means for Fifth Light customers

- Support will remain available through August 31, 2031 (see the transition milestones).
- Existing warranty and service agreements will be honored. Standard warranty provisions and any previously purchased extended warranties or service agreements will continue to apply and will be administered pursuant to their respective terms and conditions.
- Replacement parts will be supplied but will be subject to availability. Where applicable, CLS will recommend practical aftermarket alternatives to assist in maintaining system performance over time.
- For Fifth Light systems that are specified, installed, or currently in progress, CLS will honor existing commitments in line with commissioning timelines and warranty coverage.

This communication serves as an official End of Life Announcement (EOL Announcement) in accordance with CLS’s End of Life Policy (the “Policy” or “EoL Policy”), which can be found here: <https://www.cooperlighting.com/global/resources/legal/policies-announcements>. Capitalized terms shall have the meanings ascribed to them below or as otherwise defined in the Policy.

Transition milestones

Milestone	Definition	Date
End of Sale Date (EoS Date)	The last date on which an order can be placed for new Fifth Light material. Orders after this date will not be accepted, subject to remaining inventory availability.	August 31, 2026
Last Date of Support (LDOS)	Through the Last Date of Software Support (LDOSS), CLS will continue to support existing Fifth Light installations as follows: 1) Software support will remain available for the current firmware release in accordance with CLS policies. This includes updates for critical bugs and security issues, as applicable, through the LDOS date. 2) Spare parts as identified in Appendix 2 will transition to an “as available basis” *	August 31, 2027
	The last date until which: 1) Onsite and remote support options and service offerings will be available through LDOS. Pre-purchased service agreements remain valid for their contracted term and will be administered according to the applicable agreement terms.	August 31, 2031

* Components will be supplied on an as-available basis and allocated on a first-come, first-served basis. Any inventory remaining after the EoS/LDOS dates may continue to be available for up to twelve (12) months.

Phased-out Materials

The Fifth Light items impacted by the End of Sale transition (products no longer available for new purchase after the EoS date) are listed in Appendix 1.

Items maintained on a temporary basis to support the installed base (including service and replacement needs) are listed in Appendix 2.

Items maintained as part of the Wavelinx DALI system moving forward are listed in Appendix 3.

Warranty

Warranty terms for standard warranties and pre-purchased extended warranty and conditions will be honored per Cooper Lighting Solutions Terms and conditions (<https://www.cooperlighting.com/global/resources/legal>).

Frequently Asked Questions

1. Why is the Fifth Light control system being phased out?

Fifth Light has been part of the Cooper Lighting Solutions controls offering since 2012 and has supported many successful projects. As customer needs, codes, and standards continue to evolve, CLS is aligning its wired-controls portfolio to a forward-looking platform ([WaveLinx](#)) while maintaining support for existing Fifth Light installations through the published support period.

2. What control system is recommended in lieu of Fifth Light?

For new wired projects, CLS recommends [WaveLinx DALI](#). It is designed to support modern project requirements and current standards. Customers with existing Fifth Light systems do not need to take immediate action; migration planning, if desired, can be evaluated over time and coordinated with normal renovation or system expansion cycles.

3. Are spare parts available for purchase prior to the End of Sale Date (EoS date)?

Yes, spare parts remain available for all current Fifth Light systems. For additional information, price, and lead times, please contact your local sales agent. Locate your local agent here - <https://www.cooperlighting.com/global/resources/agent-locator>.

4. What if my project is already being commissioned?

For Fifth Light systems specified, installed, or currently in progress, CLS will honor commitments consistent with commissioning timelines and warranty coverage. We recognize that some projects may have longer schedules and later commissioning, and we will support you accordingly.

5. I have a brand-new project. I am familiar with Fifth Light but not as familiar with WaveLinx DALI. Is there a way to cross Fifth Light components to WaveLinx DALI?

We encourage customers and partners to become familiar with the [WaveLinx DALI](#) platform. Your local Cooper Lighting Solutions representative is a good resource to learn more about WaveLinx DALI capabilities, configuration options, and use cases.

Locate your local agent here to discuss your project needs.

6. Are there any existing DALI devices from the Fifth Light system that will be supported by WaveLinx DALI?

Yes. A few output devices from the Fifth Light system will be supported by WaveLinx DALI; please refer to Appendix 3 for the complete list of supported devices. In addition, Fifth Light luminaires equipped with DALI-1 or DALI-2 drivers are compatible with the WaveLinx DALI technology.

Appendix 1- List of Discontinued products by Catalog number

Catalog Number
PDR74169-DALI-DSI
FLT-BACNET
ELS-LXI600
FLT-120/277-2-32WCFL-DALI
FLT-120/277-2-42WCFL-DALI
FLT-120/277-1-28WT5HE-DALI
FLT-120/277-2-28WT5HE-DALI
FLT-277/347-2-39/24WT5HO-DALI
FLT-120/277-2-26WCFL-DALI
FLT-120/277-2-54WT5HO-DALI
FLT-347-2-32WT8-DALI
FLT-347-2-54WT5HO-DALI
FLT-347-3-32WT8-DALI
FLT-228PSUNVS010-R1-C-PK
LCPA-16DALI-08DI08AI-EX
LCPB-24DALI-08DI00AI-ST
FLT-RPA-24R
LCPA-08DALI-00DI00AI-EX
LCPA-08DALI-00DI00AI-ST
LCPA-16DALI-00DI00AI-ST
LCPB-08DALI-08DI00AI-EX
LCPB-16DALI-00DI00AI-EX
FLT-CTL004
CSU-V
FLT-120/277-2-32WT8-DALI
FLT-TS
CSU-1HP
LCPB-16DALI-16DI08AI-EX
QSC-FLT-CTL004
PSA-FLT-DAC-DALI-DC2
FLT-DAC-DALI-DC2
FLT-DAC-DALI-DC1
FLT-LCPB-PS
FLT-UPS-ASSY
LCPB-08DALI-08DI08AI-EX
12543145_NO_DBC
CSU-2HP
FLT-LVPIKIT
FLT-LMS414
FLT-XML
FLT-LMS
FLT-RPB-48R
LCPB-24DALI-08DI08AI-EX
DALI-DIM001
FLT-214PSUNV010-R1-C-PK
LCPA-08DALI-08DI08AI-EX
LCPA-16DALI-00DI00AI-EX
LCPA-16DALI-08DI00AI-EX

Catalog Number
LCPB-32DALI-00DI00AI-ST
FLT-RPA-12R
FLT-RPA-13R
FLT-RPA-3R
FLT-RPA-9R
LCPA-08DALI-08DI00AI-EX
LCPA-08DALI-08DI08AI-ST
LCPB-08DALI-48DI00AI-EX
LCPB-16DALI-08DI00AI-EX
LCPB-16DALI-16DI00AI-EX
LCPB-16DALI-24DI00AI-EX
LCPB-24DALI-08DI00AI-EX
LCPB-24DALI-16DI00AI-ST
PDR-CSU-1HP-DPS
FLT-MTS6-DALI
0008-000098-00
ELS-WAP001
NETWORK-ENCLOSURE-23.6W-9.8D-8.0H
LCPA-08DALI-08DI00AI-ST
LCPA-16DALI-08DI00AI-ST
LCPB-08DALI-08DI00AI-ST
LCPB-08DALI-00DI00AI-EX
FLT-ADDRESSINGSTATION
LCPB-16DALI-00DI00AI-ST
LCPB-16DALI-08DI08AI-EX
FLT-LVDIKT
FLT-RPA-16R
LCPB-16DALI-16DI00AI-ST
LCPB-24DALI-00DI00AI-ST
LCPB_252_NO_DBC
FLT-LCPA-PS
FLT-LVAIKT
FLT-LVBCKT
LCPB-24DALI-00DI00AI-EX
LCPB-16DALI-08DI00AI-ST
FLT-RPA-11R
FLT-RPA-7R
FLT-RPB-20R
FLT-RPB-29R
FLT-RPA-6R
FLT-RPB-31R
FLT-RPA-17R
FLT-RPA-15R
FLT-RPB-1R
FLT-RPA-8R
FLT-RPA-18R
FLT-RPA-21R
FLT-RPB-41R

To be continued in next page

Catalog Number
FLT-LMS413
FLT-LMS412
FLT-MMSRVC
FLT-MTS12-DALI
FLT-HPRS-DALI
FDW-1TLB-RL-W
FDW-1TLB-V
FDW-1TLB-W
FDW-2TLB-RL-G
FDW-2TLB-RL-V
FDW-2TLB-V
FDW-2TLB-W
FDW-4TSB-G
FDW-4TSB-RL-V
FDW-4TSB-V
FDW-4TSB-W
FDW-5TSB-W
FDW-2TLB-RL-B
FDW-6TSB-V
FDW-1TLB-RL-B
FDW-1TLB-RL-V
FDW-2TSB-RL-W
FDW-2TSB-W
FDW-3TLB-B
ETN-FLT-SP-MV-DC1
FLT-HPDM-DALI
FDW-2TLB-G
FDW-4TSB-RL-G
FDW-6TSB-G
FDW-1TLB-RL-G
PJS26BK
6465-000004-00
FLT-SADD2C
FLT-SAPP1C
FLT-STCL4C
FLT-STUP3C
FLT-LMS411
FDW-1TLB-G
FDW-3TLB-G
FDW-2TLB-B
FDW-2TSB-RL-B
FLT-1408
KL9010-PK
BK9050-PK
IDL-2T42-M5-BS
WST-T-1B-PB
FLT-SHADE
5140-000149-00
3900-000003-00
2830-000003-00

Catalog Number
FLT-RPB-43R
FLT-RPB-45R
FDW-6TSB-B
FDW-1TLB-B
FDW-4TSB-B
FDW-4TSB-RL-B
FDW-1TLB-RL-W-CE
FDW-2TLB-RL-W-CE
PDR88764-FDW-1TLB-V-CE
PDR88766-FDW-1TLB-RL-V-CE
PDR88767-FDW-1TLB-RL-V-CE
PDR89853-FDW-1TLB-RL-W
PDR89859-FDW-1TLB-RL-W
PDR89860-FDW-2TLB-RL-W
PDR89880-FDW-2TLB-RL-W
PDR89881-FDW-2TLB-RL-W
PDR89884-FDW-4TSB-RL-W
PDR89885-FDW-4TSB-RL-W
PDR89886-FDW-4TSB-RL-W
PDR89887-FDW-4TSB-RL-W
PDR89888-FDW-4TSB-RL-W
PDR89889-FDW-4TSB-RL-W
PDR91253-ENGRV-FDW-2TLB-W
PDR89890-FDW-2TLB-RL-W
PDR89891-FDW-2TLB-RL-W
PDR89893-FDW-2TLB-RL-W
PDR89894-FDW-2TLB-RL-W
PDR89895-FDW-2TLB-RL-W
PDR89896-FDW-2TLB-RL-W
PDR89897-FDW-2TLB-RL-W
PDR89898-FDW-6TSB-W
PDR89899-FDW-6TSB-W
SP-2990900
90-000160-00-PK
90-000161-00-PK
6075-000001-00
5140-000135-00
IL-STUP3C
CAT_POE-GS116LP
PDR102037-FDW-6TSB-W-FACTORY-INSTALLED
PDR102038-FDW-6TSB-W-FACTORY-INSTALLED
PDR102039-FDW-6TSB-W-FACTORY-INSTALLED
PDR102040-FDW-4TSB-RL-W-FACTORY-INSTALLED
PDR102041-FDW-4TSB-RL-W-FACTORY-INSTALLED
PDR102042-FDW-6TSB-W-FACTORY-INSTALLED
PDR102043-FDW-2TSB-RL-W-FACTORY-INSTALLED
PDR102044-FDW-1TLB-RL-W-FACTORY-INSTALLED
PDR102046-FDW-6TSB-W-FACTORY-INSTALLED
PDR102047-FDW-4TSB-RL-W-FACTORY-INSTALLED
FLT-MTSLENS-12

Appendix 2- List of spare parts available through LDOS (Aug 31, 2027) by Catalog number

Catalog Number
FLT-CTL005
FLT-DBC001
FLT-SP-MV-DC1
FLT-SP-MV-DC2
FLT-SP-347-DC1
FLT-SP-347-DC2

Catalog Number
FDW-4TSB-RL-W
FDW-3TLB-W
FDW-6TSB-W
FDW-2TLB-RL-W
OCS-D-P06
OCS-D-P12

Appendix 3- List of non-Discontinued products by Catalog number

Catalog Number
DAC-DC1
FRS-DA
DAC-DC2

Note: Fifth Light fixtures with DALI drivers (cat. logic: 5LTD, 5LTHD) are compatible with WaveLinX DALI.