


### Meet the new standard in energy distribution technology

The low-voltage power system that's practically plug and play. No more struggling to find qualified electrical labor for your job site. No more waiting weeks for commissioning teams. No more compliance woes. Eliminate costly project delays with our groundbreaking Distributed Low-Voltage Power System, and save up to 20% on the total installed cost of your LED lighting and controls system.

# Connected Lighting simplified by Cooper Lighting Solutions



# low-voltage LED lighting fixtures with optional sensors For a complete list of compatible products, see: www.cooperlighting.com

### Contractors asked.


# DLVP delivers.


- Faster system installation
- Easier controls wiring
- No complex commissioning
- Code-compliant performance
- Lower installed system cost














## Minimize labor and material costs

Cooper Lighting Solutions Distributed Low-Voltage Power System has revolutionized LED lighting and controls.

It's a brilliantly simple solution – a complete system that meets the most pressing demands of the busy electrical contractor, providing low-voltage power, LED lighting, and full controls functionality out-of-the-box.

### Save on labor costs

With an average of 40% reduction in man hours, DLVP reduces number of qualified electricians needed on the job site and installs 2X faster than traditional systems.

### Save on materials

DLVP eliminates the need for unnecessary line-voltage materials.

### No system commissioning

A contractor can configure the system with the flip of a switch, or by using a handheld remote.

### Code compliance made easy

The system was designed to meet the energy code requirements of any space.

# Cut ties with complexity











20%
REDUCTION
in total
installed
system cost

up to

## Low-voltage power module

Power Modules create safe low-voltage circuits to power and control LED lighting fixtures

## Low-voltage lighting cable

Low-voltage lighting cables provide power and communications to DLVP LED lighting fixtures

# Lighting fixture with integrated sensor

Highly efficient low-voltage addressable LED fixtures

# Save on materials


### while minimizing safety risk

Our streamlined system lets you cut ties with complexity.

### Still wrestling with conduit and Class 1 wiring?

There's no need with LED fixtures with low-voltage Class 2 pre-terminated cables.

Not only does this save you time and materials – it helps create a safer project site. A low-voltage infrastructure carries less liability, keeping your employees safer and giving you peace of mind.



Installed cost comparison of electrical wiring methods

(based on a 2015-2016 survey of US electrical contractors)

Meets UL2108 standards for low-voltage lighting systems, minimizing risk of electrical fires and injury due to electrical shock.





# Don't let labor shortages slow down your progress

The solution that eliminates resourcing dilemmas and wiring errors.

Are your opportunity costs mounting due to a lack of skilled labor?

The DLVP system is designed to eliminate this headache. After the initial power module and line voltage cable are installed, the rest of the process can be completed using less specialized labor by connecting LED fixtures with pre-terminated low-voltage cables.

#### It's simply plug-and-play.

By reducing your project's labor hours by up to 40% and allowing you to take on more projects, this system can directly impact your bottom line.






# Take control of your system's configuration

Programming is now (literally) at your fingertips.

The controls commissioning process used to add weeks (or more) to a lighting controls wiring projects. With DLVP, that's no longer the case. Our out-of-the-box functionality allows the contractor to program the system with the flip of a dipswitch, or using a convenient handheld programming remote control.

No software training or experience is required – just a simple contractor certification program. And, if you (or your customer) needs to override a system's initial configurations, this can be done easily with the programming remote control without system re-wiring.







What do you need for a code-compliant system?

# Make it easy - include it all


Designed to meet the code requirements of your project.

The DLVP system was designed entirely with compliance in mind, to rid you of unnecessary project snarls. Combined with Cooper Lighting Solutions highly efficient low-voltage LED fixtures, integrated or external sensors drive energy efficiency throughout the building.

Features like scene control, receptacle control, and automatic turn-off help you customize your system to meet your area's requirements, and can achieve energy savings of up to 65%.

up 65% SAVINGS

on lighting energy costs





# Code compliance, out-of-the-box

Meets or exceeds the requirements of ASHRAE/ANSI/IES, IECC and Title 24 energy codes

STRATEGY	DESCRIPTION	ESTIMATED SAVINGS
Manual Dimmer	Manual/personal dimming control – is one of five alternative methods to meet the multi-level lighting control requirements.	10-20%
Occupancy Sensor	Occupancy/vacancy sensing – provides Manual On/Automatic Off or Automatic On/Automatic Off and Partial Off capabilities.	20-60%
Daylighting Control	Daylight dimming – provides three daylight dimming zone that automatically adjust the lighting based on daylight available in the space, or fixture integrated sensors for completely granular daylighting control.	20-45%
Receptacle Control	Plug load control – automatically turns On receptacles upon occupancy regardless of light status. Ensures receptacles are turned Off when the space is vacant.	15-50% controlled loads
Tuning Control	High-end/Task Tuning – lowers the maximum light level for automatic energy savings.	10-30%
Demand Response	Demand Response – automatically reduces light level based on signal from OpenADR device or BMS closure.	10-40%
Remote Signal Control	Remote Signal Control – Automatically sends a signal to the HVAC system based on occupancy.	20%



### **Personal Remote**

- Simple and straightforward system control
- Control lighting by zone (up to 3)
- Program and recall scenes on the remote and scene wallstations



### **Low-Voltage Power Module**

- Integrated wiring compartment
- · 120-277VAC 50/60Hz Input
- AC-DC (Class 2) conversion (up to 100W per circuit)
- · Passively cooled and plenum rated
- Integrates centralized EM power (remote relay)



### Programming Remote

- Simple and straightforward system setup
- Configure system zones (up to 3)
- Define sensor delays, sensitivity, and daylighting settings
- Set hi-level and low-level trim



### **Occupancy Sensors**

- Passive infrared or dual-tech occupancy technology
- Occupancy or vacancy mode (via power module)
- Up to 2000 square-feet coverage area



### **Daylight Sensor**

- Open-loop daylighting control for up to three lighting zones
- Three selectable light sensor ranges
- Compatible with personal and programming remotes



### **Scene Wallstations**

- Personalized control of light fixtures
- RJ45 ports to eliminate wiring issues
- Field replaceable customized buttons to match programming



### **Input/Output Device**

- Input/output integration
- Automatic egress / HVAC integration based on occupancy status
- Connection with standard switchpacks



### **Zone Wallstations**

- Pre-configured low-voltage control of LED fixtures
- Pre-engraved buttons (custom options available)
- RJ45 ports to eliminate wiring errors



### **Receptacle Switchpack**

- RJ45 ports to eliminate wiring errors
- · Switch up to 20 amp circuits
- Plenum rated mounts directly to junction boxes





**Open office** 




Conference room



**Private office** 





<sup>\*</sup>Some models available with integrated sensors

# Ready to get started?

### **New construction:**

Simplify installation and system configuration while saving time and money.

### Renovation:

Distributed architecture makes Cooper Lighting Solutions DLVP System a perfect match for renovations of existing spaces. Line voltage is already in the space; converting to DC low-voltage makes spaces energy code compliant, more flexible and safe.

"Took one person less than a day to install a 2,000 square foot space of lighting; from running the wire to the power module and connecting all the fixtures to working order versus traditional wiring which would have taken two electricians over a day to wire the same amount of fixtures."

- Contractor, Cincinnati, OH

"We have estimated before installation a **25% savings** in material dollars and **50% savings** in labor hours using DLVP."

- Contractor, Atlanta, GA

Are you looking to save money without sacrificing efficiency or flexibility?

The value of Cooper Lighting Solutions Distributed Low-Voltage Power System (DLVP) is in its simplicity and flexibility.



### **Lighting Brands**

Ametrix AtLite Corelite Ephesus Fail-Safe

Halo Commercial

Halo

Invue io Iris Lumark Lumière

McGraw-Edison

Metalux MWS Neo-Ray Portfolio RSA Shaper Streetworks

Sure-Lites

#### **Controls Brands**

Greengate Fifth Light

### **Connected Lighting Systems**

HALO Home WaveLinx

#### IoT Platforms

Trellix



Canada Sales 5925 McLaughlin Road Mississauga, Ontario L5R 1B8 P: 905-501-3000 F: 905-501-3172 © 2021 Cooper Lighting Solutions All Rights Reserved Printed in USA Publication No. BR503028EN January 2021 Cooper Lighting Solutions is a registered trademark.

All other trademarks are property of their respective owners.

Product availability, specifications, and compliances are subject to change without notice.

