

Project		Catalog #		Type	
Prepared by		Notes		Date	



Directional Open



Directional Lens



Lens Wall Wash

Interactive Menu

- Compatible New Construction Housing
- Compatible Remodel Housing
- Product Warranty

HALO

HL3 3" Square Trim Series

Recessed 3-inch aperture LED downlight / directional with field interchangeable optics provide various distribution patterns

Typical Applications

- Residential

Top Product Features


- Ideal for accent, task and general area lighting.
- Trims are available in a range of finishes.
- Can be installed rimless with an optional rimless adapter.
- Use where high efficiency, excellent light control and low aperture brightness are required.
- Lens trims are wet location listed, covered ceilings only and IP44 rated

DIRECTIONAL OPEN





TLS3R

Square Reflector,
Open, Self Flanged




Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3R = 3.25" aperture square reflector, open, self-flanged	[blank] = open	Anodized Finishes HWF = semi-specular clear reflector and matte white flange Electroplated Finishes BN = brushed nickel reflector and flange ORB = oil rubbed bronze reflector and flange Painted Finishes MW = matte white reflector and flange MB = matte black reflector and flange	[blank] = full overlap self-flanged






DIRECTIONAL OPEN

**TLS3RMWRL**Square Reflector,
Open, Rimless





Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3R = 3.25" aperture square reflector, open, rimless	[blank] = open	Painted Finishes MW = matte white reflector and flange	RL = rimless, must be used with rimless adapter ordered separately

**TLS3BBWF****TLS3WBWF**Square Baffle,
Open, Self Flanged



Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3R = 3.25" aperture square baffle, open, self-flanged	[blank] = open	Painted Finishes BBMF = matte black baffle, matte white flange WBWF = matte white baffle, matte white flange	[blank] = full overlap self-flanged

**TLS3PIN**Square Pinhole w/Oculus,
Open, Self Flanged

Ordering Information


Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3PIN = 2.00" aperture square pinhole w/ oculus, open, self-flanged	[blank] = open	Electroplated Finishes ORBBB = oil rubbed bronze flange, black oculus Painted Finishes MWWB = matte white flange, white oculus MWBB = matte white flange, black oculus MBBB = matte black flange, black oculus	[blank] = full overlap self-flanged



DIRECTIONAL OPEN



**TLS3PINMWWBRL**

Square Pinhole w/Oculus,
Open, Rimless




Ordering Information


Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3PIN = 2.00" aperture square pinhole w/ oculus, open, rimless	[blank] = open	Painted Finishes MWWB = matte white flange, white oculus	RL = rimless, must be used with rimless adapter ordered separately



DIRECTIONAL LENS



**TLS3R2G**

Conical Reflector,
Diffuse Lens, Self Flanged




Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3R = 3.25" aperture square reflector, lens, self-flanged	2G = micro-prismatic lens	Anodized Finishes H = semi-specular clear reflector and flange HWF = semi-specular clear reflector and matte white flange Electroplated Finishes BN = brushed nickel reflector and flange ORB = oil rubbed bronze reflector and flange Painted Finishes MW = matte white reflector and flange MB = matte black reflector and flange	[blank] = full overlap self-flanged



**TLS3R2GMWRL**

Square Reflector,
Diffuse Lens, Rimless





Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3R = 3.25" aperture conical reflector, open, rimless	2G = micro-prismatic lens	Painted Finishes MW = matte white reflector and flange	RL = rimless, must be used with rimless adapter ordered separately






DIRECTIONAL LENS

**TLS3PR2GMW**Square Polymer Reflector,
Diffuse Lens, Self Flanged





Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3R = 3.25" aperture square polymer reflector, lens, self-flanged	2G = micro-prismatic lens	Painted Finishes MW = matte white reflector and flange	[blank] = full overlap self-flanged

**TLS3R2GWBWF**Square Baffle,
Diffuse Lens, Self Flanged



Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3R = 3.25" aperture square baffle, lens, self-flanged	2G = micro-prismatic lens	Painted Finishes WBWF = matte white baffle, matte white flange	[blank] = full overlap self-flanged


**TLS3PIN2G**Square Pinhole w/Oculus,
Diffuse Lens, Self Flanged

Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3PIN = 2.00" aperture square pinhole w/ oculus, open, self-flanged	2G = micro-prismatic lens	Electroplated Finishes BNBB = brushed nickel flange, black oculus ORBBB = oil rubbed bronze flange, black oculus Painted Finishes MWWB = matte white flange, white oculus MWBB = matte white flange, black oculus MBBB = matte black flange, black oculus	[blank] = full overlap self-flanged





LENS WALL WASH

**TLS3LWW6G**Square Angle Cut Lens
Wall Wash, Self Flanged**TLS3LWW6GMWRL**Square Angle Cut Lens
Wall Wash, Rimless

Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3LWW = 3.25" aperture square lens wall wash, self-flanged	6G = linear spread lens	Anodized Finishes H = semi-specular clear reflector and flange HWF = semi-specular clear reflector and matte white flange Painted Finishes MW = matte white reflector and flange	[blank] = full overlap self-flanged



Ordering Information

Trim	Shielding	Finish	Flange
Trim	Shielding	Finish	Flange
TLS3LWW = 3.25" aperture square lens wall wash, rimless	6G = linear spread lens	Painted Finishes MW = matte white reflector and flange	RL = rimless, must be used with rimless adapter ordered separately

